GRIPPERS/SLIDES/ROTARIES

Table of Contents

Introduction:

Clean Room Solutions	GR-PRO-2
Modular Mounting Solutions/DirectConnect [™]	GR-PRO-3
North American Xpress Program	
European Xpress Program	
Product Sizing and Application Charts	



JEW	Machine	Builder	GR-OEM




Electric Grippers GR-EPG




Precision Grippers GR-PRC



General	Industrial	Grippers	GR-GEN





Feed Escapements..... GR-ESC

Angular Grippers.....GR-ANG



3-Jaw	Parallel	Grip	pers.	 GR-3JP

Robotic Tooling Solutions (See TC-Automatic Tool Changers Catalog)



CLEAN ROOM RATED SOLUTIONS

Grippers/Slides/Rotaries | Product Overview

Destaco's Clean Room Rated Solutions are geared toward laboratory, semiconductor, medical, and food handling type environments. Many of our pneumatic products include a scavenge or purge port. These extra ports create internal vacuum or pressure to control contaminants escaping into the environment or prevent de-greaser or other chemicals penetrating our product.

Solutions include:

- Diverse line-up of products for class 10/100 cleanroom environments
- Manufactured with corrosion-resistant materials for use with de-ionized water
- Customized solutions available with food and medical grade lubricants, stainless steel, and nickel-plated materials to meet your application requirements.

	Electric	: Parallel G	rippers				Pneuma	tic 2-Jaw	and 3-	Jaw Gri	ppers		
Rating	RPE-100	DPE-200	DPE-400	Rating	RPMC	RPLC	DPDS	DPDL	DPG	DPP	RDH	RTH	
ISO 4 (Class10)	۲			ISO 4 (Class10)	۲	۲	۲						
ISO 5 (Class100)	۲		۲	ISO 5 (Class100)	۲	۲	۲	۲	۲		۲	۲	
ISO 6 (Class1,000)	۲	۲	۲	ISO 6 (Class1,000)	۲	۲	۲	۲	۲		۲	۲	
ISO 7 (Class10,000)	۲	۲	۲	ISO 7 (Class10,000)	۲	۲	۲	۲	۲	۲	۲	۲	
ISO 8 Class100,000)	۲	۲	۲	ISO 8 (Class100,000)	۲	۲	۲	۲	۲	۲	۲	۲	

	Ro	Rotary Actuators					
Rating	DRG	DRF	RR				
ISO 4 (Class10)							
ISO 5 (Class100)	۲	۲					
ISO 6 (Class1,000)	۲	۲					
ISO 7 (Class10,000)	۲	۲					
ISO 8 (Class100,000)	۲	۲	۲				

		Linear Slide	s
Rating	DLB	DLT	DLM
ISO 4 (Class10)			
ISO 5 (Class100)			
ISO 6 (Class1,000)	۲	۲	۲
ISO 7 (Class10,000)	۲	۲	۲
ISO 8 (Class100,000)	۲	۲	۲

Standard Clean F	Room
------------------	------

With use of Scavenge Port

Note: All products tested using Krytox™ Grease. Please contact factory for individual test results and additional clean room requirements.



MODULAR MOUNTING SOLUTIONS

Grippers/Slides/Rotaries | Product Overview

Destaco's modular automation systems feature DIRECTCONNECT[™] technology, allowing all components of the system–base slides, block thrusters, thruster slides, grippers, and mounting stanchions—to be mounted together quickly and easily without any adapter plates.

- Reduces engineering design
- Saves \$\$\$ with modular solutions
- Change device orientations quickly
- Eliminates Adapter Plates

Modular DIRECTCONNECT Mounting Style Examples:

Look for more examples of each main section of the catalog. This is a sample of configurations we offer. Custom solutions also available.

Grip & Rotate



Pick & Rotate



DRF Rotary Actuator to DPDL Parallel Gripper


DRF Rotary Actuator to DPP Parallel Gripper





DLB Base Slide to DRF Rotary Actuator

Place & Rotate



DLM Linear Slide to DRG Rotary Actuator

Rotate & Place



DRF Rotary Actuator to DLT Linear Slide


Pick & Place

DLT Base Slide to

DPP Parallel Gripper


GR-PRO 3

Place & Place




DLB Base Slide to DLT Linear Slide

Place & Place




DLB Base Slide to DLT Linear Slide

Connect Different Sizes & Styles





Configure in Multiple Orientations



Look for the DIRECTCONNECT Logo

Product Series beginning with the letter D have a DIRECTCONNECT option, with a few exceptions.






HOW TO MAKE A DIRECTCONNECT[™] MOUNT

Grippers/Slides/Rotaries | Product Overview

The DIRECTCONNECT Modular Compatibility Chart (on the next page) shows all the products that can easily connect together without adapter plates. Simply locate your first product along the horizontal axis of the top of chart, then locate the second product along the vertical axis on the left side of the chart. If a connection can be made, a mounting pattern will be shown.


DIRECTCONNECT Modular Compatibility Example:

Shown below, a DLB-10,12,16 Base Slide connecting to a DLT-10,12,16 Linear Thruster. Units may connect on different faces of the unit. Please refer to individual datasheets for DIRECTCONNECT mounting surfaces.



DirectConnect Mounting Surface Example:

Locate matching DIRECTCONNECT mounting pattern icons on the products dimensional drawings to determine what surface faces can be connected to. Corresponding mates equal a DIRECTCONNECT connection.





DIRECTCONNECT[™] MODULAR COMPATIBILITY CHART

Grippers/Slides/Rotaries | Product Overview

Destaco's modular automation systems feature DirectConnect™ technology, allowing all components of the system–base slides, block thrusters, thruster slides, grippers, and rotaries to be mounted together quickly & easily without any adapter plates. Look for matching icons on product datasheets for mounting compatibility.

Simply locate your first product along the horizontal axis of the top of chart, then locate the second product along the vertical axis on the left side of the chart. If a connection can be made, a mounting pattern will be shown.

Note: The numbers in the cell represent the metric screw size and basic mounting pattern. S=Square, R=Rectangle. ie; 5S = M5 Screw with square mounting pattern.





M5 (S)quare M5 (R)ectangle

		Base Slides				
Catalog	Models	DLB-06&08	DLB- 10,12&16	DLB-20&25		
	DLB-06 & 08					
Base Slides	DLB-10, 12 & 16					
	DLB-20 & 25					
	DLT-06 & 08	3R,3S	35			
	DLT-10, 12 & 16		5R,5S	5S		
Thruster Slides	DLT-20 & 25			10R,10S		
	DLM-07	3R,3S	35			
	DLM-9 & 12		5R,5S	5S		
	DRF-075 & 094		5R			
	DRF-106		5R	10R		
Determe Astronomer	DRF-131		5R	10R		
Rotary Actuators	DRG-074 & 094		5R			
	DRG-106		5R	10R		
	DRG-131		5R	10R		
	DGC		5R			
	DPG		5R			
	DCT-12, 16 & 25	3R				
	DCT-25		5R			
	DPDL-047 & 056	3R				
	DPDL-088 & 125		5R			
	DPDL-175 & 250			1 O R		
	DPDS-047 & 056	ЗR				
	DPDS-088 & 125		5R			
	DPDS-175 & 250			1 O R		
Grippers	DPL-25xx		5R			
	DPL-32xx & 40xx			1 OR		
	DPP-10 &14	3R				
	DPP-20		5R			
	DPP-28		5R	10R		
	DPW-250	ЗR				
	DPW-375 & 500		5R			
	G110-08 & 011	ЗR				
	G110-18 & 25		5R			
	DPE-200		5R			
	DPE-400			10R		



DIRECTCONNECT[™] MODULAR COMPATIBILITY CHART

Grippers/Slides/Rotaries | Product Overview

		Thruster Slides	Rotary Actuators				
DLT-06&08	DLT- 10,12&16	DLT-20&25	DLM-07	DLM-09&12	DRF- 075&094	DRF-106	DRF-131
3R,3S			3R,3S				
3S	5R,5S		35	5R,5S	5R	5R	5R
	5S	10R,10S		5S		10R	10R
3R	3R		3R	3R	3R,3S	3R,3S	
	5R	5R		5R	5R,5S	5R,5S	5R,5S
		10R					10R,10S
3R	3R		3R	3R	3R,3S	3R,3S	
	5R	5R		5R	5R,5S	5R,5S	5R,5S
	5R	5R		5R	5R	5R	5R
	5R	10R		5R	5R	5R	10R
	5R	10R		5R	5R	5R	1 O R
	5R	5R		5R	5R	5R	5R
	5R	10R		5R	5R	5R	10R
	5R	10R		5R	5R	5R	10R
	5R	5R		5R	5R	5R	5R
	5R	5R		5R	5R	5R	5R
3R	3R		3R	3R	ЗR	3R	
	5R	5R		5R	5R	5R	5R
3R	ЗR		3R	3R	ЗR	3R	
	5R	5R		5R	5R	5R	5R
		10R					10R
3R	3R		3R	3R	ЗR	3R	
	5R	5R		5R	5R	5R	5R
		10R					10R
	5R	5R		5R	5R	5R	5R
		10R					10R
3R	3R		3R	3R	3R	3R	
	5R	5R		5R	5R	5R	5R
	5R	10R		5R	5R	5R	10R
3R	3R		3R	3R	ЗR	3R	
	5R	5R		5R	5R	5R	5R
3R	3R		3R	3R	ЗR	3R	
	5R	5R		5R	5R	5R	5R
	5R	5R		5R	5R	5R	5R
		10R					10R



NOTES





NORTH AMERICAN XPRESS PROGRAM

A Full Line of Automation Products to Meet Your Application Needs Quickly

Y	PRESS C5DAY	STANDARD	LEAD TIME	
Product listed be Parallel Gripp	elow are for North American Market only.	B SIZE	STROKE [mm]	FORCE [N]
	RP Series Rugged Impact Resistant Gripper	5, 10, 11, 12, 15	4.0-12.7	156-311
	RPL/RPLC Series Zero Side Play, High Repeatability Gripper	1, 2, 3, 4 (C)=Clean Room Version	6.4-25.4	116-160
	RPM/RPMC Series Low Friction Micro Gripper	1, 2, 3, (C)=Clean Room Version	4.1-6.3	36
	DPG Series Modular Multi-Part Sensing Gripper	10M-2	12.7	222
	HEAVY DUTY HEAVY DUTY HEAVY DUTY HEAVY Long Finger Gripper	250, 375, 500	19.05-63.5	222-800
	HEAVY DUTY HEAVY Long Finger Gripper	625	50.8-88.9	1068
Angular Gripp	pers	B SIZE	ANGLE	FORCE [N]
Î	RA Series Low Cost Small Size Angular Gripper	RA-5	15° (per finger)	89
Rotary Actuate	ors	B SIZE	ANGLE	PAYLOAD [Kg]
	RR Series High Torque Compact Rotary Actuators	18, 28, 36	0-180°	0.45-3.6

To choose the best and most cost-effective automation solution for your application please contact your Destaco sales representative or Destaco customer service.

The man



EUROPEAN XPRESS PROGRAM

A Full Line of Automation Products to Meet Your Application Needs Quickly




Product listed below are for European Market only. Parallel Grippers		B SIZE	STROKE [mm]	
	RTH Series 3 Jaw Centering Gripper	1, 2, 3, 4, 5, 6	4-70	445-44353
	RP Series Rugged Impact Resistant Gripper	5, 10, 11, 12, 15	4.0-12.7	156-311
	RPL/RPLC Series Zero Side Play, High Repeatability Gripper	RPL: 1, 2, 3, 4 RPLC: 1, 3 (C)=Clean Room	6.4-25.4	116-160
T.	RPM Series Low Friction Micro Gripper	1, 3	4.1-6.3	36
	DGC Series Precision Spring Gripper	25, 45, 65	20-40	432-11475
	RDH Series Shielded Gripper	1, 2, 3, 4, 5, 6 with Options -C, -L	4-70	361-28002
	HEAVY DUTY HEAVY UTY HEAVY Uty HEAVY HEAV	250, 375, 500	19.05-63.5	222-800
	HEAVY DUTY Wide Parts/ Long Finger Gripper	625, 750	19.1-114.3	222-2091

To choose the best and most cost-effective automation solution for your application please contact your Destaco sales representative or Destaco customer service.



EUROPEAN XPRESS PROGRAM

A Full Line of Automation Products to Meet Your Application Needs Quickly



To choose the best and most cost-effective automation solution for your application please contact your Destaco sales representative or Destaco customer service.

GR-PRO | 10

